



**TIPS FOR ARCHITECTS AND DESIGNERS:
TYPICAL FOR ALL SUITES**

- 6MM - 13MM MAXIMUM LAMINATED GLASS SIZE
- 13MM PLASTERBOARD ONLY
- 105MM PROFILES = 64MM STUD
- 132MM PROFILES = 92MM STUD
- FOR SOUND TRANSMISSION CLASS POINTS (STC) REFER TO THE POTTERS WEBSITE WWW.POTTERS.CO.NZ IN THE "PARTITIONING" SECTION

TYPE OF GLASS	THICKNESS GRADE A	MAXIMUM AREA M ²	SYSTEM TYPE
TOUGHENED SAFETY GLASS	6MM	4.0	75MM
TOUGHENED SAFETY GLASS	8MM	6.0	100MM
TOUGHENED SAFETY GLASS	10MM	8.0	120MM
TOUGHENED SAFETY GLASS	12MM	10.0	120MM
LAMINATED SAFETY GLASS	6MM	3.0	75MM
LAMINATED SAFETY GLASS	8MM	5.0	100MM
LAMINATED SAFETY GLASS	10MM	7.0	120MM
LAMINATED SAFETY GLASS	12MM	9.0	120MM

**POTTER ALUMINIUM SYSTEMS
DS SERIES - DETAIL REFERENCES**

5.2.1
SHEET

SCALE

A 01/04/2020
ISSUED DATE

0800 POTTER (0800 768 837) WWW.POTTERS.CO.NZ
SUBJECT TO CHANGE WITHOUT NOTICE

