

SAFETY DATASHEET

FlexiCoat-MAK™

Issue Date: 30/8/2019

Review Date: 30/8/2024

NAME BOSS Passive Fire
ADDRESS Unit 1, 16 Atkinson Rd, Taren Point NSW 2229 AUSTRALIA
PHONE 1300 502 677
FAX 1300 602 677
EMAIL info@bossfire.com.au
WEB bossfire.com

1. SUBSTANCE IDENTIFICATION

Product Name	FlexiCoat-MAK™
Product Code	FCMAK-5, FCMAK-10, FCMAK-20
Use of Substance/Mixture	PC1: Adhesives, sealants

2. CLASSIFICATION OF THE SUBSTANCE/MIXTURE

Classification under CHIP	This product has no classification under CHIP
Classification under CLP	This product has no class
Label Elements	This product has no label elements
Other Hazards	This product is not identified as a PBT substance

3. FIRST AID MEASURES (SYMPTOMS)

Skin Contact	May be mild irritation at the site of contact
Eye Contact	May be irritation and redness
Ingestion	May be irritation of the throat
Inhalation	No symptoms

4. FIRST AID MEASURES (ACTION)

Skin Contact	Wash immediately with plenty of soap and water
Eye Contact	Bathe the eye with running water for 15 minutes
Ingestion	Wash out mouth with water
Inhalation	Consult a doctor
Immediate/Special Treatment	Not Applicable

5. FIRE FIGHTING MEASURES

Extinguishing Media	Suitable extinguishing media for the surrounding fire should be used Use water spray to cool containers
Exposure Hazards	In combustion emits toxic fumes
Advice for Fire-fighters	Wear self-contained breathing apparatus Wear protective clothing to prevent contact with skin and eyes

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Refer to section 8 for personal protection details Turn leaking containers leak-side up to prevent the escape of liquid
Environmental Precautions	Do not discharge into drains or rivers Contain the spillage using Bunding
Clean-Up Procedures	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method
Reference to Other Section	Refer to section 8 of this MSDS

7. HANDLING & STORAGE

Precautions for Safe Handling	Refer to section 8 of this MSDS
Storage Conditions	Store in cool, well-ventilated area. Keep container tightly closed
Specific End Use(s)	No data available

8. EXPOSURE CONTROL & PERSONAL PROTECTION

Exposure Control	None available
Respiratory Control	Respiratory protection not required
Hand Protection	Protective gloves
Eye Protection	Safety glasses with side shields. Ensure eye bath is to hand.
Skin Protection	Protective clothing

9. CONTROL PARAMETERS

Workplace Exposure Limits	No data available
DNEL / PNEC	No data available

10. PHYSICAL & CHEMICAL PROPERTIES

State	Liquid
Colour	Various
Relative Density	1.25
pH	Approximately 7
Other Information	No data available

11. STABILITY & REACTIVITY

Reactivity	Stable under recommended transport or storage conditions
Chemical Stability	Stable under normal conditions
Hazardous Reactions	Hazardous reactions will occur under normal transport or storage conditions Decomposition may occur on exposure to conditions or materials listed below
Conditions to Avoid	Heat
Materials to Avoid	Strong oxidising agents. Strong acids
Hazard Decomposition Products	In combustion emits toxic fumes

12. TOXICOLOGICAL INFORMATION

Toxicity Values	No data available
Skin Contact	May be mild irritation at the site of contact
Eye Contact	May be irritation and redness
Ingestion	May be irritation of the throat
Inhalation	No symptoms

13. ECOLOGICAL INFORMATION

Ecotoxicity Values	No data available
Persistence and Degradability	Biodegradable
Bioaccumulative Potential	No bioaccumulation potential
Mobility	Readily absorbed into soil
PBT Identification	This product is not identified as a PBT substance
Other Adverse Effects	Negligible ecotoxicity

14. DISPOSAL CONSIDERATIONS

Waste Treatment Methods	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal
--------------------------------	--

15. TRANSPORT INFORMATION

Transport Class	This product does not require a classification for transport
------------------------	--

16. OTHER INFORMATION

Legal Disclaimer	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.
-------------------------	--

LIMITATION

BOSS Passive Fire Pty Ltd has provided the above technical information in good faith and to the best of its knowledge. This information was deemed to be correct at the time of publication. Should any data come to BOSS Passive Fire's attention relating to the fire resistance or performance of the product described BOSS Passive Fire reserve the right to amend this report.

BOSS Passive Fire strive to constantly improve and develop products so this information may change without notice.

The information contained herein has been developed as a guide only and it does not constitute a guarantee of compliance of all applications. Each project and/or application may have specific requirements and you should investigate these carefully. Ensure that you have read and understood the appropriate certification relative to your needs, and ensure you seek acceptance from the Certifying Authority or compliance inspector before installation. For updates on the range of BOSS Fire® certification please contact BOSS Technical Services on +61 2 9531 8591.

FURTHER INFORMATION

For additional technical information on the performance of BOSS FlexiCoat-MAK™, other BOSS Fire® products or any other BOSS Fire® related information please contact us on:

AU:

1300 50 2677
Bossfire.com.au

NZ:

0800 50 2677
Bossfire.co.nz

Admin:

+612 9531 8591
info@bossfire.com.au
Unit 1, 16 Atkinson Rd Taren Point NSW 2229 AUSTRALIA